


TYPES OF CYLINDERS ACTIVATION



Part Number	Nominal Capacity (liters)	Nominal Diameter (mm)	A (mm)	B (mm)	C (mm)	D with 227SOL (mm)	D with 227SOLC (mm)	E with 227SOL (mm)	E with 227SOLC (mm)	F (mm)	Valve Type
227M2UFV-1	2	100	355	390	552,8	554,50	571,50	640,50	657,50	514,26	RGS-MAM-11-4
227M2UFV-2	2	100	355	394	563,7	565,40	582,40	651,40	668,40	525,16	RGS-MAM-12-4
227M2UFJ-1	2,7	108	425	460	622,8	624,50	641,50	710,50	727,50	584,26	RGS-MAM-11-4
227M2UFJ-2	2,7	108	425	464	633,7	635,40	652,40	721,40	738,40	595,16	RGS-MAM-12-4
227M2UFV-1	2,7	100	450	485	647,8	649,50	666,50	735,50	752,50	609,26	RGS-MAM-11-4
227M2UFV-2	2,7	100	450	485	647,8	649,50	666,50	735,50	752,50	609,26	RGS-MAM-11-4
227M2UFV-3	2,7	100	450	489	658,7	660,40	677,40	746,40	763,40	620,16	RGS-MAM-12-4
227M2UFV-4	2,7	100	450	489	658,7	660,40	677,40	746,40	763,40	620,16	RGS-MAM-12-4
227M4UFJ-1	4,7	108	690	725	887,8	889,50	906,50	975,50	992,50	849,26	RGS-MAM-11-4
227M4UFJ-4	4,7	108	690	729	898,7	900,40	917,40	986,40	1003,40	860,16	RGS-MAM-12-4
227M4UFJ-3	4,7	140	445	480	642,8	644,50	661,50	730,50	747,50	604,26	RGS-MAM-11-4
227M4UFJ-6	4,7	140	445	484	653,7	655,40	672,40	741,40	758,40	615,16	RGS-MAM-12-4
227M4UFJ-2	4,7	140	450	485	647,8	649,50	666,50	735,50	752,50	609,26	RGS-MAM-11-4
227M4UFJ-5	4,7	140	450	489	658,7	660,40	677,40	746,40	763,40	620,16	RGS-MAM-12-4
227M4UFV-2	4,7	140	421	456	618,8	620,50	637,50	706,50	723,50	580,26	RGS-MAM-11-4
227M4UFV-3	4,7	140	421	456	618,8	620,50	637,50	706,50	723,50	580,26	RGS-MAM-11-4
227M4UFV-5	4,7	140	421	460	629,7	631,40	648,40	717,40	734,40	591,16	RGS-MAM-12-4
227M4UFV-6	4,7	140	421	460	629,7	631,40	648,40	717,40	734,40	591,16	RGS-MAM-12-4
227M4UFV-1	4,7	115	583,5	618,5	781,3	783,00	800,00	869,00	886,00	742,76	RGS-MAM-11-4
227M4UFV-4	4,7	115	583,5	622,5	792,2	793,90	810,90	879,90	896,90	753,66	RGS-MAM-12-4
227M6UFM-1	6	152,4									RGS-MAM-11-4
227M6UFM-2	6	152,4									RGS-MAM-12-4
227M6UFM-3	6	152,4									RGS-MAM-20
227M6UFJ-3	6,7	140	575	610	772,8	774,50	791,50	860,50	877,50	734,26	RGS-MAM-11-4
227M6UFJ-4	6,7	140	575	614	783,7	785,40	802,40	871,40	888,40	745,16	RGS-MAM-12-4
227M6UFJ-6	6,7	140	575	610	772,8	774,50	791,50	860,50	877,50	734,26	RGS-MAM-20
227M6UFJ-1	6,7	140	575	610	772,8	774,50	791,50	860,50	877,50	734,26	RGS-MAM-11-4
227M6UFJ-2	6,7	140	575	614	783,7	785,40	802,40	871,40	888,40	745,16	RGS-MAM-12-4
227M6UFJ-5	6,7	140	575	610	772,8	774,50	791,50	860,50	877,50	734,26	RGS-MAM-20
227M6UFV-1	6,7	140	574	609	771,8	773,50	790,50	859,50	876,50	733,26	RGS-MAM-11-4
227M6UFV-3	6,7	140	574	609	771,8	773,50	790,50	859,50	876,50	733,26	RGS-MAM-11-4
227M6UFV-2	6,7	140	574	613	782,7	784,40	801,40	870,40	887,40	744,16	RGS-MAM-12-4
227M6UFV-4	6,7	140	574	613	782,7	784,40	801,40	870,40	887,40	744,16	RGS-MAM-12-4
227M6UFV-5	6,7	140	574	629	811,8	813,50	830,50	899,50	916,50	773,10	RGS-MAM-20
227M6UFV-6	6,7	140	574	629	811,8	813,50	830,50	899,50	916,50	773,10	RGS-MAM-20
227M9UFM-3	9	177,8									RGS-MAM-11-4
227M9UFM-4	9	177,8									RGS-MAM-11-4
227M9UFM-5	9	177,8									RGS-MAM-12-4
227M9UFM-6	9	177,8									RGS-MAM-12-4
227M9UFM-1	9	177,8									RGS-MAM-20
227M9UFM-2	9	177,8									RGS-MAM-20
227M12UFM-1	12	254									RGS-MAM-11-4
227M12UFM-2	12	254									RGS-MAM-12-4
227M12UFM-3	12	254									RGS-MAM-20
227M13UFAA-1	13	245	375	410	572,8	574,50	591,50	660,50	677,50	534,26	RGS-MAM-11-4
227M13UFAA-2	13	245	375	414	583,7	585,40	602,40	671,40	688,40	545,16	RGS-MAM-12-4

Part Number	Nominal Capacity (liters)	Nominal Diameter (mm)	A (mm)	B (mm)	C (mm)	D with 227SOL (mm)	D with 227SOLC (mm)	E with 227SOL (mm)	E with 227SOLC (mm)	F (mm)	Valve Type
227M13UFAA-3	13	245	375	430	612,8	614,50	631,50	700,50	717,50	574,10	RGS-MAM-20
227M13UFB-2	13,4	203	585	620	782,8	784,50	801,50	870,50	887,50	744,26	RGS-MAM-11-4
227M13UFB-4	13,4	203	585	624	793,7	795,40	812,40	881,40	898,40	755,16	RGS-MAM-12-4
227M13UFB-6	13,4	203	585	640	822,8	824,50	841,50	910,50	927,50	784,10	RGS-MAM-20
227M13UFJ-1	13,4	204	580	615	777,8	779,50	796,50	865,50	882,50	739,26	RGS-MAM-11-4
227M13UFJ-2	13,4	204	580	619	788,7	790,40	807,40	876,40	893,40	750,16	RGS-MAM-12-4
227M13UFJ-3	13,4	204	580	635	817,8	819,50	836,50	905,50	922,50	779,10	RGS-MAM-20
227M13UFV-3	13,4	204	550	585	747,8	749,50	766,50	835,50	852,50	709,26	RGS-MAM-11-4
227M13UFV-4	13,4	204	550	589	758,7	760,40	777,40	846,40	863,40	720,16	RGS-MAM-12-4
227M13UFV-8	13,4	204	550	605	787,8	789,50	806,50	875,50	892,50	749,10	RGS-MAM-20
227M13UFV-1	13,4	140	1065	1100	1262,8	1264,50	1281,50	1350,50	1367,50	1224,26	RGS-MAM-11-4
227M13UFV-2	13,4	140	1065	1104	1273,7	1275,40	1292,40	1361,40	1378,40	1235,16	RGS-MAM-12-4
227M13UFV-7	13,4	140	1065	1120	1302,8	1304,50	1321,50	1390,50	1407,50	1264,10	RGS-MAM-20
227M13UFV-5	13,4	204	570	605	767,8	769,50	786,50	855,50	872,50	729,26	RGS-MAM-11-4
227M13UFV-6	13,4	204	570	609	778,7	780,40	797,40	866,40	883,40	740,16	RGS-MAM-12-4
227M13UFV-9	13,4	204	570	625	807,8	809,50	826,50	895,50	912,50	769,10	RGS-MAM-20
227M16UFM-4	16	254	458,8	493,8	656,6	658,30	675,30	744,30	761,30	618,06	RGS-MAM-11-4
227M16UFM-6	16	254	458,8	497,8	667,5	669,20	686,20	755,20	772,20	628,96	RGS-MAM-12-4
227M16UFM-2	16	254	458,8	513,8	696,6	698,30	715,30	784,30	801,30	657,90	RGS-MAM-20
227M21UFM	21	305									RGS-MAM-20
227M25UFAA	25	300	461	516	698,8	700,50	717,50	786,50	803,50	660,10	RGS-MAM-20
227M26UFB	26,8	203	1045	1100	1282,8	1284,50	1301,50	1370,50	1387,50	1244,10	RGS-MAM-20
227M26UFJ-1	26,8	204	1030	1085	1267,8	1269,50	1286,50	1355,50	1372,50	1229,10	RGS-MAM-20
227M26UFJ-2	26,8	229	850	905	1087,8	1089,50	1106,50	1175,50	1192,50	1049,10	RGS-MAM-20
227M26UFJ-3	26,8	229	850	905	1087,8	1089,50	1106,50	1175,50	1192,50	1049,10	RGS-MAM-20
227M26UFV-2	26,8	229	853,6	908,6	1091,4	1093,10	1110,10	1179,10	1196,10	1052,70	RGS-MAM-20
227M26UFV-3	26,8	229	853,6	908,6	1091,4	1093,10	1110,10	1179,10	1196,10	1052,70	RGS-MAM-20
227M26UFV-5	26,8	229	853,6	908,6	1091,4	1093,10	1110,10	1179,10	1196,10	1052,70	RGS-MAM-20
227M26UFV-1	26,8	204	1025	1080	1262,8	1264,50	1281,50	1350,50	1367,50	1224,10	RGS-MAM-20
227M26UFV-4	26,8	229	880	935	1117,8	1119,50	1136,50	1205,50	1222,50	1079,10	RGS-MAM-20
227M28UFM-2	28,3	228,6	830,25	885,25	1068,05	1069,75	1086,75	1155,75	1172,75	1029,35	RGS-MAM-20
227M28UFM-1	28,3	228,6	806,5	861,5	1044,3	1046,00	1063,00	1132,00	1149,00	1005,60	RGS-MAM-20
227M38UFAA	38	300	664	719	901,8	903,50	920,50	989,50	1006,50	863,10	RGS-MAM-20
227M40UFB-2	40	229	1215	1270	1452,8	1454,50	1471,50	1540,50	1557,50	1414,10	RGS-MAM-20
227M40UFJ-1	40	204	1500	1555	1737,8	1739,50	1756,50	1825,50	1842,50	1699,10	RGS-MAM-20
227M40UFJ-2	40	229	1240	1295	1477,8	1479,50	1496,50	1565,50	1582,50	1439,10	RGS-MAM-20
227M40UFJ-3	40	229	1240	1295	1477,8	1479,50	1496,50	1565,50	1582,50	1439,10	RGS-MAM-20
227M40UFN-1	40	229	1212	1267	1449,8	1451,50	1468,50	1537,50	1554,50	1411,10	RGS-MAM-20
227M40UFN-2	40	229	1270	1325	1507,8	1509,50	1526,50	1595,50	1612,50	1469,10	RGS-MAM-20
227M40UFV-2	40,2	229	1215,4	1270,4	1453,2	1454,90	1471,90	1540,90	1557,90	1414,50	RGS-MAM-20
227M40UFV-3	40,2	229	1215,4	1270,4	1453,2	1454,90	1471,90	1540,90	1557,90	1414,50	RGS-MAM-20
227M40UFV-5	40,2	229	1215,4	1270,4	1453,2	1454,90	1471,90	1540,90	1557,90	1414,50	RGS-MAM-20
227M40UFV-1	40,2	204	1475	1530	1712,8	1714,50	1731,50	1800,50	1817,50	1674,10	RGS-MAM-20
227M40UFV-4	40,2	229	1245	1300	1482,8	1484,50	1501,50	1570,50	1587,50	1444,10	RGS-MAM-20
227M61UFAA	61	300	1018	1065	1279	1280,70	1297,70	1366,70	1383,70	1240,46	RGS-MAM-40
227M67UFB-1	67,5	267	1500	1547	1761	1762,70	1779,70	1848,70	1865,70	1722,46	RGS-MAM-40

Part Number	Nominal Capacity (liters)	Nominal Diameter (mm)	A (mm)	B (mm)	C (mm)	D with 227SOL (mm)	D with 227SOLC (mm)	E with 227SOL (mm)	E with 227SOLC (mm)	F (mm)	Valve Type
227M67UFC	67,5	267	1440	1487	1701	1702,70	1719,70	1788,70	1805,70	1662,46	RGS-MAM-40
227M67UFJ	67,5	267	1500	1547	1761	1762,70	1779,70	1848,70	1865,70	1722,46	RGS-MAM-40
227M67UFR	67,5	267	1500	1547	1761	1762,70	1779,70	1848,70	1865,70	1722,46	RGS-MAM-40
227M67UFV-1	67,5	267	1470	1517	1731	1732,70	1749,70	1818,70	1835,70	1692,46	RGS-MAM-40
227M67UFV-2	68	360	900	947	1161	1162,70	1179,70	1248,70	1265,70	1122,46	RGS-MAM-40
227M80UFB-1	80	267	1740	1787	2001	2002,70	2019,70	2088,70	2105,70	1962,46	RGS-MAM-40
227M80UFC	80	267	1675	1722	1936	1937,70	1954,70	2023,70	2040,70	1897,46	RGS-MAM-40
227M80UFJ	80	267	1730	1777	1991	1992,70	2009,70	2078,70	2095,70	1952,46	RGS-MAM-40
227M80UFR	80	267	1725	1772	1986	1987,70	2004,70	2073,70	2090,70	1947,46	RGS-MAM-40
227M80UFV-1	80	267	1710	1757	1971	1972,70	1989,70	2058,70	2075,70	1932,46	RGS-MAM-40
227M80UFV-2	80	267	1710	1757	1971	1972,70	1989,70	2058,70	2075,70	1932,46	RGS-MAM-40
227M80UFV-3	80	267	1780	1827	2041	2042,70	2059,70	2128,70	2145,70	2002,46	RGS-MAM-40
227M80UFV-4	80	360	1030	1077	1291	1292,70	1309,70	1378,70	1395,70	1252,46	RGS-MAM-40
227M81UFM-2	81,5	323,8	1152,5	1199,5	1413,5	1415,20	1432,20	1501,20	1518,20	1374,96	RGS-MAM-40
227M84UFAA-1	84	300	1345	1392	1606	1607,70	1624,70	1693,70	1710,70	1567,46	RGS-MAM-40
227M84UFAA-2	84	300	1343	1395	1626,3	1596,70	1645,00	1714,00	1731,00	1587,76	RGS-MAM-50
227M84UFAA-3	84	300	1343	1395	1626,3	1596,70	1645,00	1714,00	1731,00	1587,76	RGS-MAM-50
227M84UFM-1	84	406	805,6	857,6	1088,9	1059,30	1107,60	1176,60	1193,60	1050,36	RGS-MAM-50
227M84UFM-2	84	406	805,6	857,6	1088,9	1059,30	1107,60	1176,60	1193,60	1050,36	RGS-MAM-50
227M86UFM	86	323,8									RGS-MAM-40
227M100UFC	100	356	1220	1267	1481	1482,70	1499,70	1568,70	1585,70	1442,46	RGS-MAM-40
227M100UFR	100	356	1310	1357	1571	1572,70	1589,70	1658,70	1675,70	1532,46	RGS-MAM-40
227M100UFV-1	100	360	1240	1287	1501	1502,70	1519,70	1588,70	1605,70	1462,46	RGS-MAM-40
227M100UFR-2	100	360	1240	1287	1501	1502,70	1519,70	1588,70	1605,70	1462,46	RGS-MAM-40
227M108UFAA-1	108,4	374	1148	1195	1431,3	1401,70	1450,00	1519,00	1536,00	1392,76	RGS-MAM-50
227M108UFAA-2	108,4	374	1148	1195	1431,3	1401,70	1450,00	1519,00	1536,00	1392,76	RGS-MAM-50
227M120UFB-1	120	406	1350	1397	1633,3	1603,70	1652,00	1721,00	1738,00	1594,76	RGS-MAM-50
227M120UFB-2	120	406	1350	1397	1633,3	1603,70	1652,00	1721,00	1738,00	1594,76	RGS-MAM-50
227M120UFR	120	356	1530	1577	1791	1792,70	1809,70	1878,70	1895,70	1752,46	RGS-MAM-40
227M120UFV-1	120	360	1460	1507	1721	1722,70	1739,70	1808,70	1825,70	1682,46	RGS-MAM-40
227M120UFV-2	120	360	1490	1537	1751	1752,70	1769,70	1838,70	1855,70	1712,46	RGS-MAM-40
227M120UFC	120	356	1440	1487	1701	1702,70	1719,70	1788,70	1805,70	1662,46	RGS-MAM-40
227M127UFAA-1	127	374	1319	1371	1602,3	1572,70	1621,00	1690,00	1707,00	1563,76	RGS-MAM-50
227M127UFAA-2	127	374	1319	1371	1602,3	1572,70	1621,00	1690,00	1707,00	1563,76	RGS-MAM-50
227M140UFR-1	140	356	1755	1807	2038,3	2008,70	2057,00	2126,00	2143,00	1999,76	RGS-MAM-50
227M140UFR-2	140	356	1755	1807	2038,3	2008,70	2057,00	2126,00	2143,00	1999,76	RGS-MAM-50
227M140UFV-1	140	360	1690	1742	1973,3	1943,70	1992,00	2061,00	2078,00	1934,76	RGS-MAM-50
227M140UFV-2	140	360	1690	1742	1973,3	1943,70	1992,00	2061,00	2078,00	1934,76	RGS-MAM-50
227M140UFV-3	140	360	1745	1797	2028,3	1998,70	2047,00	2116,00	2133,00	1989,76	RGS-MAM-50
227M140UFV-4	140	360	1745	1797	2028,3	1998,70	2047,00	2116,00	2133,00	1989,76	RGS-MAM-50
227M140UFV-5	140	360	1720	1772	2003,3	1973,70	2022,00	2091,00	2108,00	1964,76	RGS-MAM-50
227M140UFV-6	140	360	1720	1772	2003,3	1973,70	2022,00	2091,00	2108,00	1964,76	RGS-MAM-50
227M140UFC-1	140	356	1660	1712	1943,3	1913,70	1962,00	2031,00	2048,00	1904,76	RGS-MAM-50
227M140UFC-2	140	356	1660	1712	1943,3	1913,70	1962,00	2031,00	2048,00	1904,76	RGS-MAM-50
227M143UFM-3	143	406	1305	1357	1588,3	1558,70	1607,00	1676,00	1693,00	1549,76	RGS-MAM-50
227M143UFM-4	143	406	1305	1357	1588,3	1558,70	1607,00	1676,00	1693,00	1549,76	RGS-MAM-50

Part Number	Nominal Capacity (liters)	Nominal Diameter (mm)	A (mm)	B (mm)	C (mm)	D with 227SOL (mm)	D with 227SOLC (mm)	E with 227SOL (mm)	E with 227SOLC (mm)	F (mm)	Valve Type
227M143UFM-1	143	406,4	1305	1357	1588,3	1558,70	1607,00	1676,00	1693,00	1549,76	RGS-MAM-50
227M143UFM-2	143	406,4	1305	1357	1588,3	1558,70	1607,00	1676,00	1693,00	1549,76	RGS-MAM-50
227M147UFB-1	147	406	1312	1364	1595,3	1565,70	1614,00	1683,00	1700,00	1556,76	RGS-MAM-50
227M147UFB-2	147	406	1312	1364	1595,3	1565,70	1614,00	1683,00	1700,00	1556,76	RGS-MAM-50
227M148UFB-1	148,4	508	911,2	963,2	1194,5	1164,90	1213,20	1282,20	1299,20	1155,96	RGS-MAM-50
227M148UFB-2	148,4	508	911,2	963,2	1194,5	1164,90	1213,20	1282,20	1299,20	1155,96	RGS-MAM-50
227M150UFB-1	150	406	1596	1648	1879,3	1849,70	1898,00	1967,00	1984,00	1840,76	RGS-MAM-50
227M150UFB-2	150	406	1596	1648	1879,3	1849,70	1898,00	1967,00	1984,00	1840,76	RGS-MAM-50
227M150UFC-1	150	406	1380	1432	1663,3	1633,70	1682,00	1751,00	1768,00	1624,76	RGS-MAM-50
227M150UFC-2	150	406	1380	1432	1663,3	1633,70	1682,00	1751,00	1768,00	1624,76	RGS-MAM-50
227M150UFR-1	150	356	1860	1912	2143,3	2113,70	2162,00	2231,00	2248,00	2104,76	RGS-MAM-50
227M150UFR-2	150	356	1860	1912	2143,3	2113,70	2162,00	2231,00	2248,00	2104,76	RGS-MAM-50
227M150UFV-3	150	360	1840	1892	2123,3	2093,70	2142,00	2211,00	2228,00	2084,76	RGS-MAM-50
227M150UFV-4	150	360	1840	1892	2123,3	2093,70	2142,00	2211,00	2228,00	2084,76	RGS-MAM-50
227M150UFV-1	150	360	1790	1842	2073,3	2043,70	2092,00	2161,00	2178,00	2034,76	RGS-MAM-50
227M150UFV-2	150	360	1790	1842	2073,3	2043,70	2092,00	2161,00	2178,00	2034,76	RGS-MAM-50
227M150UFC-3	150	356	1770	1822	2053,3	2023,70	2072,00	2141,00	2158,00	2014,76	RGS-MAM-50
227M150UFC-4	150	356	1770	1822	2053,3	2023,70	2072,00	2141,00	2158,00	2014,76	RGS-MAM-50
227M152UFM-1	152	406	1381,1	1433,1	1664,4	1634,80	1683,10	1752,10	1769,10	1625,86	RGS-MAM-50
227M152UFM-2	152	406	1381,1	1433,1	1664,4	1634,80	1683,10	1752,10	1769,10	1625,86	RGS-MAM-50
227M180UFB-2	180	406	1591	1659	1945,7	1947,40	1964,40	2033,40	2050,40	1907,16	RGS-MAM-80
227M180UFB-1	180	462	1266	1318	1549,3	1519,70	1568,00	1637,00	1654,00	1510,76	RGS-MAM-50
227M180UFB-3	180	462	1266	1334	1620,7	1622,40	1639,40	1708,40	1725,40	1582,16	RGS-MAM-80
227M180UFC	180	406	1650	1702	1933,3	1903,70	1952,00	2021,00	2038,00	1894,76	RGS-MAM-50
227M180UFM-1	180	406	1611,3	1663,3	1894,6	1865,00	1913,30	1982,30	1999,30	1856,06	RGS-MAM-50
227M180UFM-2	180	406	1611,3	1679,3	1966	1967,70	1984,70	2053,70	2070,70	1927,46	RGS-MAM-80
227M180UFV-1	180	406	1690	1742	1973,3	1943,70	1992,00	2061,00	2078,00	1934,76	RGS-MAM-50
227M180UFV-2	180	406	1690	1742	1973,3	1943,70	1992,00	2061,00	2078,00	1934,76	RGS-MAM-50
227M180UFV-3	180	406	1690	1758	2044,7	2046,40	2063,40	2132,40	2149,40	2006,16	RGS-MAM-80
227M227UFB	227	508	1318	1386	1672,7	1674,40	1691,40	1760,40	1777,40	1634,16	RGS-MAM-80
227M229UFM	229	508									RGS-MAM-80
227M240UFB	240	462	1655,1	1723,1	2009,8	2011,50	2028,50	2097,50	2114,50	1971,26	RGS-MAM-80
227M246UFM-2	246	558,8	1205	1273	1559,7	1561,40	1578,40	1647,40	1664,40	1521,16	RGS-MAM-80
227M246UFM-1	246	558,8	1203,3	1271,3	1558	1559,70	1576,70	1645,70	1662,70	1519,46	RGS-MAM-80
227M275UFB	275	508	1585	1653	1939,7	1941,40	1958,40	2027,40	2044,40	1901,16	RGS-MAM-80
227M365UFM	365	610									RGS-MAM-80
227M368UFM	368	610	1501,7	1569,7	1856,4	1858,10	1875,10	1944,10	1961,10	1817,86	RGS-MAM-80
227M368UFB	369	610	1483	1551	1837,7	1839,40	1856,40	1925,40	1942,40	1799,16	RGS-MAM-80
227M454UFM	454	762	1248,5	1316,5	1603,2	1604,90	1621,90	1690,90	1707,90	1564,66	RGS-MAM-80
227M501UFM	501	762	1356,5	1424,5	1711,2	1712,90	1729,90	1798,90	1815,90	1672,66	RGS-MAM-80